6. Acknowledgements

The project was funded by the Department of Conservation under Contract DOCDM-313793. W.R. Holland (DOC Northland Conservancy) provided substantial assistance at every stage of the project and her very significant contribution is gratefully acknowledged. Dr C.M. Beard, Dr E. Grove, and F. McIntosh assisted ably with fieldwork. Landowners throughout the district, including Te Uri o Hau, Pouto, generously allowed access to their land (C. Taurua) and provided keys (S. Richards) to forestry gates. L. Forrest (Pouto) freely shared his knowledge of the Kaipara with us. C. Herald (Te Kopuru), G. Bartlett (Pouto), and H. Bartlett (Dargaville) gave invaluable assistance with accommodation. P. Anderson (DOC Northland Conservancy) supplied relevant background material. Aerial orthophotography was provided courtesy of Northland Regional Council and Kaipara District Council. E.K. Cameron of Auckland Institute and Museum (AK), J. Cruickshank of the Allan Herbarium, Landcare Research (CHR), Dr L. Perrie of National Museum Herbarium (WELT) supplied records of plant specimens from the study area. Dr F. Brook described the landforms and geology of the sites in this report. A. Macdonald kindly provided information on native fish species, A. Booth on terrestrial invertebrates, and Dr J. Beever on mosses. D.W.F. Hunter produced the figures. Dr W.G. Lee provided helpful comment on an earlier draft. A. Booth, A. Macdonald, R. Parrish, and A. Townsend (DOC Northland Conservancy), and Dr R.J. Pierce, (EcoOceania Ltd) provided comment on the final report. T. Conaghan, K. Seymour, and L. Wells (DOC Northland Conservancy) prepared the maps in ARCGIS for publication.

7. References

- Andersen, K. 1975: Botanical literature of Northland. New Zealand Journal of Botany 13: 31-60.
- Anon 1992: Convention on Biological Diversity.
- Anon 2000: The New Zealand Biodiversity Strategy. Ministry for the Environment, Wellington.
- Arand, J.; Basher, L.; Wardle, R.; Wardle, K. 1993: Inventory of New Zealand soil sites of international, national and regional importance. Part 2: North Island and northern offshore islands. New Zealand Society of Soil Science Occasional Publication 2. Lincoln University.
- Atkinson, I.A.E. 1985: Derivation of vegetation mapping units for an ecological survey of Tongariro National Park, North Island, New Zealand. New Zealand Journal of Botany 23: 361–178.
- Beever, J.E. 1991: Mosses of Tapu and Pretty Bush, Kaipara North Head. Auckland Botanical Society Journal 46: 73–74.
- Belbin, L. 1995: PATN: Pattern analysis package. Technical reference. Canberra, CSIRO Division of Wildlife and Ecology.
- Bradley, E.K. 1982: The great northern Wairoa (4th ed). Phoenix Printing Co. Ltd, Auckland. 194 p.
- Brook F. 1996: Classification of the Ecological Districts of Northland. Unpublished report. Department of Conservation, Northland Conservancy.

- Buller, J. 1878: Forty years in New Zealand, including a personal narrative, an account of Maoridom, and of the Christianization and colonization of the country by the Reverend James Buller. London, Hodder and Stoughton.
- Byrne, B. 2002. The unknown Kaipara. Five Aspects of History 1250-1875.
- Burridge, A.E. 1964: Soil conservation on the Pouto Peninsula. Northland Catchment Commission, Whangarei.
- Cameron, E.K.; Jones, S.; Wilcox, M.D.; Young, M.E. 2001: Flora and vegetation of Pouto Peninsula, North Head of Kaipara Harbour, Northland, New Zealand, 26–29 January 2001. Auckland Botanical Society Newsletter 56: 38–51.
- Champion, P.; Dugdale, A.; Taumoepeau, A. 2002: The aquatic vegetation of 33 Northland lakes. NIWA Client Report NRC01203.
- Colenso, W. 1888: On new phaenogamic plants of New Zealand. Transactions and Proceedings of the New Zealand Institute 20: 188–211.
- Conning, L.; Holland, W.; Miller, N. 2004: Natural areas of Hokianga Ecological District:
 Reconnaissance survey report for the Protected Natural Areas Programme.
 Department of Conservation, Northland Conservancy.
- Cowan, P.E. 1990. Brush-tailed possum. Pp.68–98 in King, C.M. (Ed.) Handbook of New Zealand mammals. OUP, Auckland.
- Cox, J.E. 1977: Northland Peninsula. In: Neall, V.E. (ed.) Soil Groups of Northern New Zealand.Part 2: Yellow-brown sands. New Zealand Society of Soil Science.
- Crawley, M.J. 1997: The structure of plant communities. In Crawley, M.J. (Ed.). Plant ecology. Blackwell Science, Oxford, U.K.
- Cromarty, P.; Scott, D.A. 1996: A directory of wetlands in New Zealand. Department of Conservation, Wellington.
- Cunningham, B.T.; Moar, N.T.; Torrie, A.W.; Parr, P.J. 1953: A survey of the western coastal dune lakes of the North Island, New Zealand. Australian Journal of Marine and Freshwater Research 4: 343–386.
- Cutten, E.L. 1934: The sand dunes of the Dargaville coast. Te Kura Ngahere 3: 177–180.
- DOC Bioweb: Department of Conservation Bioweb database (Threatened plants and Herpetofauna database). [Accessed 2007–2008].
- Dodson, J.R.; Enright, N.J.; McLean, R.F. 1988: A late Quaternary vegetation history for far northern New Zealand. Journal of Biogeography 15:647–656.
- Dowding, J.E.; Moore, S.J. 2006: Habitat networks of indigenous shorebirds in New Zealand. Science for Conservation 261. Science & Technical Publishing, Department of Conservation, Wellington.
- Forrest, L. 1984: Pouto, 105 years, 1879–1984. Pouto Reunion Committee. 105 p.
- Forester, L.; Townsend, A. 2004: Threatened plants of Northland Conservancy.

 Department of Conservation, Wellington.
- Gill. B.; Whitaker. T. 1996: New Zealand frogs and reptiles. David Bateman, Auckland.
- Griffiths. J. 2000: The distribution and abundance of Lactrodectus atritus on the west and east coasts of northern New Zealand. Unpublished report, Department of Conservation, Northland Conservancy.
- Harrison-Smith, J. 1939: Sand dune reclamation. New Zealand Journal of Forestry 4: 227–235.
- Hayward, B.; Hayward, G. 1991: Lichens of Tapu Bush, Kaipara North Head. Auckland Botanical Society Journal 46: 68–70.
- Heath, R.A. 1975. Stability of some New Zealand coastal inlets. New Zealand Journal of Marine and Freshwater Research 9: 449–457.
- Heather, B. D.; Robertson, H. A. 2005: The field guide to the birds of New Zealand. Viking, Auckland.

- Hitchmough R.; Bull, L.; Cromarty, P. (Comps) 2007: New Zealand Threat Classification System lists 2005. Threatened species occasional publication 23. Department of Conservation, Wellington.
- Johnson, P.J.; Gerbeaux, P. 2004: Wetland types in New Zealand. Department of Conservation, Wellington.
- Kenny, J.A.; Hayward, B.W. 1996: Inventory and maps of important geological sites and landforms in the Northland Region (1st ed.). Geological Society of New Zealand Miscellaneous Publication 83. Geological Society of New Zealand Inc., Lower Hutt.
- King, C.M. (ed.) 2005: The handbook of New Zealand mammals. Oxford University Press, Australia.
- Leathwick, J.R.; Morgan, F.; Wilson, G.; Rutledge, D.; McLeod, M.; Johnston, K. 2002: Land environments of New Zealand: A technical guide. Ministry for the Environment, Wellington.
- Lux, J.; Beadel, S.M. 2006: Natural areas of Otamatea Ecological District (Northland Conservancy): Reconnaissance survey report for the Protected Natural Areas Programme. Northland Conservancy, Department of Conservation, Whangarei.
- McDowall, R.M. 1990: New Zealand freshwater fishes: A natural history and guide. Heinemann Reed, Auckland.
- McEwen, W.M. 1987: Ecological regions and districts of New Zealand. Publication No. 5, Department of Conservation, Wellington.
- McIlroy, J.C. 1990. Feral pig. Pp. 358–372 in King, C.M. (ed.) Handbook of New Zealand mammals. OUP, Auckland.
- McGlone, M.S. 1983: Polynesian deforestation of New Zealand: a preliminary synthesis. Archaeology in Oceania 18: 11–25.
- McGlone, M.S.; Wilmshurst, J.M. 1999: Dating initial Maori environmental impact in New Zealand. Quaternary International 59: 5–16.
- McKenzie, H.R. 1972. In search of birds in New Zealand. Reed, Wellington, Sydney, London. 256 p.
- McKinnon, M. (ed.) 1997: Historical atlas of New Zealand. David Bateman, Auckland. 290 p.
- Ministry for the Environment 2007: Protecting our places: introducing the national priorities for protecting rare and threatened native biodiversity on private land. Ministry for the Environment, Wellington.
- Molloy J. (Comp.) 1995: Bat (pekapeka) recovery plan (Mystacina, Chalinolobus).

 Threatened species recovery plan 15. Department of Conservation,
 Wellington.
- Molloy, J.; Davis, A. 1992: Setting priorities for the conservation of New Zealand's threatened plants and animals. First edition. Department of Conservation, Wellington.
- Molloy J.; Bell B.; Clout M.; de Lange P.; Gibbs G.; Given D.; Norton D.; Smith N.; Stevens T. 2002: Classifying species according to threat of extinction: A system for New Zealand. Threatened Species Occasional Publication 22. Department of Conservation, Wellington.
- Myers, S.; Park, G.; Overmars, F. 1987: A guidebook for the Rapid Ecological Survey of Natural Areas. New Zealand Biological Resources Centre. Publication No. 6.
- New Zealand Meteorological Service 1985: Climatic map series, 1: 200 000. New Zealand Meteorological Service Miscellaneous Publication 175.
- NIWA 2007: New Zealand Freshwater Fish Database. National Institute of Water and Atmospheric Research. http://fwdb.niwa.cri.nz.
- NZPCN 2008: New Zealand Plant Conservation Network website. http://www.nzpcn.org. nz/- Accessed January–March 2008.

- Ogle, C.C. 1997: Sand movement and the protection of natural areas on Pouto Peninsula, Northland. Conservation Advisory Science Notes 145. Department of Conservation, Wellington.
- Pearce, H.G.; Mullan, A.B.; Salinger, M.J.; Opperman, T.W.; Woods, D.; Moore, J.R. 2005. Impact of climate change on long-term fire danger. New Zealand Fire Service Commission Research Report No. 50. New Zealand Fires Service, Wellington.
- Pierce R.J. 1999: Regional patterns of migration in the banded dotterel Charadrius bicinctus. Notornis 46: 101–122.
- Pingram, M.A. 2005: Ecology of freshwater fish in the littoral zone of Lake Waikere, Kai Iwi lakes, Northland, New Zealand: for the conservation of the dunelakes galaxias (Galaxias sp.). Unpublished MSc thesis, University of Otago.
- Reid, J. 1977: Survey of Tapu Bush, a remnant of pre-European vegetation. Auckland Student Geographer 8: 35–46.
- Robertson, C.J.R.; Hyvoenen, P.; Fraser, M.J.; Pickard, C.R. 2007: Atlas of bird distribution in New Zealand 1999–2004. The Ornithological Society of New Zealand, Wellington.
- Rowe, D.K.; Chisnall, B.L. 1997. Distribution and conservation status of the dwarf inanga Galaxias gracilis (Teleostei: Galaxiidae), an endemic fish of Northland dune lakes. Journal of the Royal Society of New Zealand 27: 223–233.
- Ryburn, W. 1999: Tall spars, steamers and gum: A history of the Kaipara from early European settlement 1854–1947. Kaipara Publications, Henderson, Auckland.
- Saunders, D.A.; Hobbs, R.J., Margules, C.R. 1991: Biological consequences of ecosystem fragmentation; a review. Biological Conservation 5:18–29.
- Tanner, C.C.; Clayton, J.S.; Harper, L.M. 1986: Observations on aquatic macrophytes in 26 northern New Zealand lakes. New Zealand Journal of Botany 24: 539–551.
- Taylor, G.A. 1996: Seabirds found dead on New Zealand beaches. Notornis 46: 434-445.
- Taylor, N.H.; Pohlen, I.J. 1954: General survey of the soils of North Island, New Zealand. New Zealand Department of Scientific and Industrial Research.
- Technical Advisory Group (Park, G.N.; Kelly, G.C.; Wardle, J.A.; Simpson, P.G.; Dingwall, P.R.; Ogle, C.C.; Mitchell, N.D.; Myers, S.C.) 1986: The New Zealand Protected Natural Areas Programme: A scientific focus. Biological Resources Centre Publication No. 4. NZ Department of Scientific and Industrial Research, Wellington.
- Timmins, S.M.; Williams, P.A. 2001: Weed numbers in New Zealand's forest and scrub reserves. New Zealand Journal of Ecology 15: 153–162.
- Wards, I. 1976: New Zealand atlas. Government Printer, Wellington. 292 p.
- Watt, J.C 1975. The terrestrial insects. Pp. 507–535 in Kuschel, G. (ed.) Biogeography and ecology in New Zealand. Dr W. Junk BV Publishers, The Hague.
- Webb, C.J.; Sykes, W.R.; Garnock-Jones, P.J.; Given, D.R.; Brownsey, P.J. 1989: Checklist of dicotyledons, gymnosperms and pteridophytes naturalised in New Zealand: additional records and collections. New Zealand Journal of Botany 37: 139–162.
- Wells, R.; Champion, P.; de Winton, M. 2007: Northland Lakes Status 2007. NIWA Contract report HAM2007-103.
- Wright, A.E.; Young, M.E. 1991: Vascular plants of Tapu Bush, North Kaipara Barrier. Auckland Botanical Society Newsletter 46: 70–72.