

WITHER HILLS ECOLOGICAL DISTRICT SHRUBLAND/FOREST		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Sheltered Moist Sites Only	Above 300m only	Bird Food	Showy Flowers or Fruit	National Threat Status	Localized or Rare in this Sector
TALL TREES 20m+																
<i>Nothofagus fusca</i>	Red beech			★		★			★			★	Fr,H			
<i>Nothofagus solandri</i> var <i>solandri</i>	Black beech			★		★			★				Fr,H			R
<i>Podocarpus hallii</i>	Halls/mountain totara			★					★			★	Fr			L
<i>Podocarpus totara</i>	<i>Totara</i>			★	★				★				Fr			R
<i>Prumnopitys taxifolia</i>	Matai			★		★			★				Fr			L
SMALL TREES 5-15 metres																
<i>Alectryon excelsus</i>	Titoki			★		★			★		★		Fr	Fr		
<i>Aristolelia serrata</i>	Wineberry	★		★					★		★		Fr	Fl		R
<i>Carmichaelia muritai</i> %	Coastal tree broom			★	★		★	★	★	★					2	L
<i>Carpodetus serratus</i>	Putaputaweta , marbleleaf	★		★					★				Fr	Fl		
<i>Cordyline australis</i>	Cabbage tree	★	★	★	★		★	★	★				Fl, Fr	Fl		
<i>Cyathea dealbata</i>	Silver fern			★		★			★		★					R
<i>Cyathea medullaris</i>	Mamaku			★		★			★		★					R
<i>Cyathea smithii</i>	Soft tree fern			★		★			★		★					R
<i>Dicksonia squarrosa</i>	Wheki			★		★			★		★					R
<i>Griselinia littoralis</i>	Broadleaf	★		★					★	★			Fr			
<i>Hebe parviflora</i>	Tree hebe			★	★			★	★				Fl			
<i>Hoheria angustifolia</i>	<i>Narrow-leaved lacebark</i>	★		★				★	★				Fl,Lv	Fl		
<i>Kunzea ericoides</i>	Kanuka	★		★	★		★	★	★	★			N	Fl		

WITHER HILLS ECOLOGICAL DISTRICT SHRUBLAND/FOREST		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Sheltered Moist Sites Only	Above 300m only	Bird Food	Showy Flowers or Fruit	National Threat Status	Localized or Rare in this Sector
<i>Leptospermum scoparium</i>	Manuka	★	★	★	★		★	★	★				N	Fl		
<i>Lophomyrtus obcordata</i>	Rohutu			★		★			★		★		Fr			R
<i>Melicytus ramiflorus</i>	Mahoe	★		★					★				Fr			
<i>Myoporum laetum</i>	Ngaio	★		★	★		★	★	★		★		Fr	Fl		L
<i>Myrsine australis</i>	Mapou , red matipo	★		★	★				★				Fr			
<i>Olearia paniculata</i>	Akiraho	★		★	★			★	★	★				Fl		
<i>Pennantia corymbosa</i>	Kaikomako	★		★					★				Fr	Fl		R
<i>Pittosporum eugenioides</i>	Lemonwood	★		★		★			★		★			Fl		R
<i>Pittosporum tenuifolium</i> ssp <i>tenuifolium</i>	Kohuhu	★		★	★			★	★							
<i>Plagianthus regius</i>	Manatu, ribbonwood	★		★					★		★					R
<i>Pseudopanax arboreus</i>	Five finger			★		★		★	★				Fr			
<i>Pseudopanax crassifolius</i>	Lancewood	★		★	★			★	★				Fr			
<i>Sophora microphylla</i>	Kowhai	★		★	★			★	★				N, Lv	Fl		
SHRUBS 2-5 metres																
<i>Brachyglottis repanda</i>	Rangiora			★		★			★		★					L
<i>Carmichaelia australis</i>	Common broom	★		★	★			★		★						
<i>Carmichaelia carmichaeliae</i>	Pink tree broom			★	★		★	★		★				Fl	1	L
<i>Coprosma crassifolia</i>		★		★	★			★		★			Fr			
<i>Coprosma linariifolia</i>				★		★		★	★				Fr			

WITHER HILLS ECOLOGICAL DISTRICT SHRUBLAND/FOREST		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Sheltered Moist Sites Only	Above 300m only	Bird Food	Showy Flowers or Fruit	National Threat Status	Localized or Rare in this Sector
<i>Coprosma lucida</i>		★		★		★			★				Fr			L
<i>Coprosma obconica</i>				★				★			★		Fr		4	R
<i>Coprosma propinqua</i>		★	★	★	★			★	★	★			Fr			
<i>Coprosma robusta</i>	Karamu	★		★				★	★				Fr			
<i>Coprosma "taylorae"</i>				★		★		★	★				Fr			
<i>Coriaria arborea</i>	Tutu	★	★	★	★		★	★	★				Fr			
<i>Cyathodes juniperina</i>				★	★			★	★				Fr			
<i>Discaria toumatou</i>	Matagouri , wild Irishman	★		★	★			★		★			N, Fr			
<i>Dodonaea viscosa</i>	Akeake	★		★	★	★		★								L
<i>Hebe stricta</i>	Koromiko	★		★			★	★	★					Fl		
<i>Hebe stenophylla</i>				★			★	★	★	★				Fl		
<i>Helichrysum lanceolatum</i>	Niniaio			★	★	★		★	★	★				Fl		
<i>Leucopogon fasciculatus</i>	Mingimingi			★	★				★				Fr			
<i>Muehlenbeckia astonii</i>				★	★		★	★					Fr		2	R
<i>Myrsine divaricata</i>	Weeping matipo			★	★			★	★			★	Fr			
<i>Olearia arborescens</i>				★		★			★		★					R
<i>Olearia avicenniifolia</i>				★	★		★	★		★				Fl		
<i>Pittosporum divaricatum</i>				★	★	★			★			★				R
<i>Pseudopanax ferox</i>	Fierce lancewood			★	★			★	★	★			Fr		7	R
<i>Schefflera digitata</i>	Pate			★		★			★		★		Fr			R
<i>Solanum aviculare</i> var <i>aviculare</i>	Poroporo			★			★		★				Fr	Fl	4	

WITHER HILLS ECOLOGICAL DISTRICT SHRUBLAND/FOREST		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Sheltered Moist Sites Only	Above 300m only	Bird Food	Showy Flowers or Fruit	National Threat Status	Localized or Rare in this Sector
<i>Solanum laciniatum</i>	Poroporo			★			★		★				Fr	Fl		
<i>Urtica ferox</i>	Tree nettle			★					★							L
SMALL SHRUBS etc																
<i>Astelia fragrans</i>	Perching lily			★		★			★		★					
<i>Brachyglottis monroi</i>				★	★		★	★		★				Fl		
<i>Coprosma acerosa</i> var "brunnea"				★	★		★	★		★			Fr			
<i>Coprosma rhamnoides</i>				★	★			★	★	★			Fr			
<i>Coriaria sarmentosa</i>	Tutu		★	★				★					Fr			
<i>Corokia cotoneaster</i>	Korokio			★	★			★	★	★			Fr	Fl,Fr		
<i>Cortaderia richardii</i>	Toetoe		★	★			★	★						Fl		
<i>Fuchsia perscandens</i>				★		★			★		★					R
<i>Gaultheria antipoda</i>	Snowberry			★			★	★		★		★	Fr			
<i>Heliohebe hulkeana</i> ssp <i>hulkeana</i>	New Zealand lilac			★	★		★	★		★				Fl		
<i>Melicytus "waipapa"</i>	Porcupine shrub			★	★		★	★		*			Fr			
<i>Muehlenbeckia complexa</i>	Pohuehue			★	★			★		★			Fl, Fr			
<i>Olearia solandri</i> %	Coastal shrub daisy	★		★	★		★	★		★						
<i>Ozothamnus leptophyllus</i>	Tauhinu	★		★	★		★	★		★				Fl		
<i>Pachystegia insignis</i>	Marlborough rock daisy			★	★		★	★		★				Fl		
<i>Phormium cookianum</i>	Wharariki	★		★	★		★	★		★			N	Fl,Fr		
<i>Phormium tenax</i>	Harakeke	★	★	★			★	★					N	Fl,Fr		

WITHER HILLS ECOLOGICAL DISTRICT SHRUBLAND/FOREST		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Sheltered Moist Sites Only	Above 300m only	Bird Food	Showy Flowers or Fruit	National Threat Status	Localized or Rare in this Sector
<i>Sophora prostrata</i>	Prostrate Kowhai			★	★		★	★		★			N	Fl		
<i>Teucrium parvifolium</i>				★		★		★	★		★				4	R
GROUND PLANTS																
<i>Carex dipsacea</i>				★					★							
<i>Carex flagellifera</i>			★					★								
<i>Carex forsteri</i>				★					★							
<i>Carex testacea</i>								★	★							
<i>Libertia ixioides</i>	Native iris			★					★					Fl		
<i>Microlaena polynoda</i>	Bamboo grass			★	★			★	★							R
<i>Poa cita</i>	Silver tussock			★	★		★	★		★						
<i>Uncinia laxiflora</i>	Hookgrass			★	★				★							
<i>Uncinia leptostachya</i>	Hookgrass			★	★				★							
<i>Uncinia uncinata</i>	Hookgrass								★							
VINES																
<i>Clematis afoliata</i>	Leafless clematis			★	★			★		★				Fl		L
<i>Clematis foetida</i>	Clematis			★		★			★					Fl		
<i>Clematis forsteri</i>	Clematis			★		★		★	★					Fl		
<i>Clematis quadribacteolata</i>	Clematis			★	★			★								L
<i>Parsonsia capsularis</i>	Native jasmine			★	★	★		★	★					Fl		
<i>Parsonsia heterophylla</i>	Native jasmine			★		★		★	★					Fl		
<i>Rubus cissoides</i>	Bush lawyer			★					★				Fr	Fl		
<i>Rubus schmidelioides</i>	Bush lawyer			★	★			★	★				Fr	Fl		

WITHER HILLS ECOLOGICAL DISTRICT SHRUBLAND/FOREST		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Sheltered Moist Sites Only	Above 300m only	Bird Food	Showy Flowers or Fruit	National Threat Status	Localized or Rare in this Sector
Rubus squarrosus	Leafless lawyer			★	★			★	★				Fr	Fl		

- Fr Fruit
  - Fl Flowers
  - H Honeydew
  - N Nectar
  - Lv Leaves & shoots
- National Threat Classification deLange et al : *Italics = Not recorded but likely to have been present*  
**Bold = Present**  
 % Within 10km of the coast

Plants people are most likely to recognise and obtain for revegetation (which are most likely to succeed in a drought prone sector)